

Ornamental Fruit Trees for Puget Sound Landscapes Jacqueline King, Gary Moulton, and Carol Miles WSU - Mount Vernon NWREC http://extension.wsu.edu/maritimefruit



## Introduction

From 1984 to 2009, a trial of ornamental fruit trees was conducted at WSU Mount Vernon NWREC.

Initiated 1984 – disease resistant crabapples only, one of 24 NCEP sites

Inferior varieties were removed, and new ones added.

Final crabapple additions 2004. Ornamental cherry, plum, and pear varieties added 2004-5.

Annual evaluations spring and fall: bloom dates and types, disease ratings, evaluating overall ornamental quality.

# Preferred qualities:

Disease resistance = low maintenance

Small persistent fruit = no messy lawns or sidewalks

Year-round eye appeal
 Spring bloom
 Healthy summer leaves
 Fall fruit & leaf color

Attractive tree structure in winter



Crabapples

- Wide range of tree size and habit to suit any landscape
- Bloom time: early April late May in the Puget Sound.
- Flowers: usually white, also pink red, occasionally double or multi-petal
- Leaves: usually green, some have purple or bronze shaded leaves



## Varied Bloom Types and Colors

#### Candymint ^

Scarlet Brandywine >



Prairie Rose

# Crabapples adapt to many landscape uses

- Dwarf & columnar patio pots, decks, entry courtyards
- Specimen trees with special ornamental character – yards, lawns
- Narrow upright trees streetside plantings

Large vigorous trees – parks, highways, schoolgrounds



## Dwarf, Columnar, L High-grafted Trees

#### Lancelot



#### Firebird

#### Cinderella >

Trees with less vigorous growth habit can be grafted high (3-6 feet) to produce trees like rose standards, well suited to entries and small areas.


- Cinderella (3'- 4') dwarf type, white single flowers, bright green leaves, tiny yellow fruit, excellent disease resistance
- Lollipop (4') dwarf type, white single flowers, green leaves, tiny red fruit, excellent disease resistance
- Lancelot (8'-10') upright columnar tree habit, white single flowers, green leaves, small yellow fruit, excellent disease resistance

## Weeping Types Are Good Landscape Features

- Louisa (7'-8' high, 13'-15' wide') strongly weeping habit, rose pink single flowers, bright green leaves, tiny yellow fruit, excellent disease resistance
- Royal Fountain (6'-7' high, 6'-10' wide) strongly weeping habit, magenta pink single flowers, purple-bronze leaves, red fruit, holds leaf color all summer, excellent disease resistance
- Weeping tree structure adds character even in winter when leaves and fruit are gone.
- Weeping trees make a good point of interest in mixed landscape plantings, especially located near water features.







Weeping Fence – Trees grafted high (5') on dwarfing rootstock Geneva 11 spaced at 2' in row; Cvs Louisa (pink) and Red Jade (white).

Louisa tree (full size: 7'-8' high, 13'-15' wide) High Rated Crabapples White Flowers

**Redbud** (*M. zumi x calocarpa*) Evereste (high scab resistance) Christmas Holly Puget Spice (high scab resistance) Red Jewel Holiday Gold Golden Raindrops (high scab resistance) Pumpkin Pie



#### Red Jewel >



Pumpkin Pie

White Flowers

#### Golden Raindrops

Evereste

## High Rated Crabapples Red or Pink Flowers

- Tea pink single flowers, green-bronze leaves
- Prairifire red single flowers, purple leaves
- Orange Crush red single flowers, purple leaves
- Candymint Sargent pink single flowers edged dark pink, green-bronze leaves
- Pink Princess pink single flowers, green-bronze leaves
- Prairie Maid pink single flowers, green leaves
- Royal Fountain strongly weeping habit, red single flowers, purple leaves
- Royal Raindrops red single flowers, purple leaves

Prairie Rose – pink flowers multi petaled (rose-like), green leaves



Prairie Maid

Prairifire >



## Street Trees – Tall & Narrow



### Trees for Large Spaces – Parks & Playgrounds

- Jack (30' high, 18'-20' wide) very early, white single flowers, green leaves, red fruit, excellent disease resistance
- Bob White (25' high, 18'-20' wide) early, white single flowers, green leaves, yellow fruit, good disease resistance
- White Angel (25'-30' high, 20'-25' wide) midseason, white single flowers, green leaves, dark red fruit persists all winter, excellent disease resistance, long spreading limb structure
- Professor Sprenger (25' high, 18'-20' wide) midseason, white single flowers, green leaves, very profuse red-orange fruit, good disease resistance
- Silver Moon (40+' high, 25'-30' wide) late, white single flowers, green leaves, red fruit, excellent disease resistance, very large and vigorous tree

#### Silver Moon

Jack Crab

White Angel

Large-scale Trees

#### Bob White

Professor Sprenger

## Crabapples for Fresh Eating, Culinary, and Cider

- Evereste white single flowers, green leaves, red-orange fruit 1" diameter hangs on tree till midwinter, scab immune, ripe in October; USE: jelly, pickling, cider
- Puget Spice (WSU AxP) white single flowers, green leaves, blush yellow fruit 1"- 1.5" diameter, scab immune, ripe in October; USE: jelly, pickling, very good for cider
- Centennial white single flowers, green leaves, red blushed yellow fruit 1.5"- 2" long, good disease resistance, ripe in August; USE: jelly, fresh eating
- Chestnut white single flowers, green leaves, russeted yellow fruit 2"- 2.5" diameter, good disease resistance, ripe in September; USE: fresh eating





 Flowering cherry (Prunus)
 Purpleleaf Plum (Prunus)
 Ornamental Pear (Pyrus)

## Flowering Cherries & Plums tested at WSV Mount Vernon

#### Cherry

- Snow Fountain
- Yoshino
- Akebono
- Snow Goose
- Shirotae (Mt. Fuji)
- Amanogawa
- Kanzan (Kwanzan)
- Royal Burgundy
- Shirofugen
- Shogetsu

#### Plum

- Krauter Vesuvius
- Newport
- Hollywood (dual purpose ornamental & edible)



# Flowering Cherry (Prunus)

- Wide range of bloom times: late winter (February-March) – mid May in the Puget Sound
- Flowers: usually white, also pink, may be double or multi-petal
- Leaves: usually green, some have purple or bronze shaded leaves
- Tree habit from narrow upright to low, broad spreading



(Kwanzan)

# Yoshino University University



#### **Snow Fountain**

# Flowering Plum (Prunus)

- Bloom time very early to early-midseason: late winter (February-March) – April in the Puget Sound
- Flowers: pink or white, usually single (5 petals)
- Leaves: may be purple or bronze shaded
   Tree habit upright spreading to broad spreading



#### Krauter Vesuvius (L), Newport (R)

# Ornamental Pear (Pyrus)

- Bradford (*P. calleryana*) old standard widely planted, but trees often brittle, shortlived
- Aristocrat newer selection with wider branch angles, less susceptible to damage
   Jack Pear – very dwarf selection of *P. calleryana*, well suited to small yards
   Chanticleer/Cleveland Select –less fragile than Bradford, more pyramidal structure











Chanticleer

## Summary:

Ornamental fruit trees are available that are both disease resistant and attractive landscape assets.

Select from a wide range of flower and tree characteristics to suit your specific landscape purpose.

Ornamental trees can add both beauty and value to urban and rural environments.



## Thanks to Supporting Groups

**National Crabapple Evaluation Project – International Ornamental Crabapple Society** Washington State Department of Agriculture Washington State Nursery & Landscape Association 🔆 J. Frank Schmidt Family **Charitable Fund Horticultural Research Institute**